ZAGORIN O'BRIEN GRAHAM LLP

BECEIVED GENTRAL FAX CENTER

APR 1 4 2005

Intellectual Property Attorneys 7600B N. CAPITAL OF TEXAS HWY, SUITE 350 AUSTIN, TEXAS 78731

FACSIMILE TRANSMITTAL TO USPTO

To:	USPTO Central	Fax No.:	(703) 872-9306
Date:	April 14, 2005	Pages:	33 (including this sheet)
From:	Steven R. Gilliam	Senders Pho Senders Fax	one No.: (512) 338-6300 (No.: (512) 338-6301

REGARDING:

Title:	EFFICIENT TECHNIQUE FOR MATCHING HIERARCHIES OF ARBITRARY SIZE AND STRUCTURE WITHOUT REGARD TO ODERING OF ELEMENTS		
Application No.:	09/898,708	Filed:	July 3, 2001
Examiner:	Cam Y. T. Truong	Group Art Unit:	2172
Atty. Docket No.:	027-0006	Confirmation No.:	2440

ATTACHED HERETO:

(1) Appellant's Brief (30 pages);

(2) Transmittal Letter (2 pages).

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that, on the date shown below, this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office.

-Apr-2005

Respectfully submitted,

Steven R. Gilliam, Reg. No. 51,734

Attorney for Applicant(s)

(512) 338-6320

(512) 338-6301 (fax)

The information contained in and transmitted with this facsimile message is CONFIDENTIAL and intended only for the official use of the United States Patent and Trademark Office (USPTO). If you, the reader of this message, are not the intended recipient (identified above) or an agent responsible for delivery to the intended recipient, you are hereby notified that you have received this information in error and that any review, dissemination, destruction or copying thereof is strictly prohibited. If you have received this information in error, please notify us immediately by telephone at (512) 338-6300 and we will arrange for return of the original message. Thank you.

ZAGORIN O'BRIEN GRAHAM LLP

7600B N. CAPITAL OF TEXAS HWY, SUITE 350 AUSTIN, TEXAS 78731-1191

INTELLECTUAL PROPERTY ATTORNEYS

512-338-6300 (TEL) 512-338-6301 (FAX) INTERNET: www.ip-counsel.com

April 14, 2005

Mail Stop Appeal Brief-Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

James J. Babka et al. Applicant: Title: EFFICIENT TECHNIQUE FOR MATCHING HIERARCHIES OF ARBITRARY SIZE AND STRUCTURE WIHTOUT REGARD TO ORDERING OF **ELEMENTS** Application No.: 09/898,708 Filed: July 3, 2001 Group Art Unit: 2172 Cam Y. T. Truong Examiner: Atty. Docket No.: 027-0006 Conf. No.: 2440 Dear Sir: Transmitted herewith are the following documents in the above-identified application: Appellant's Brief (30 page(s)) Petition for Extension of Time (month) (page(s)) page(s)), including PTO/SB0/8A and/or Information Disclosure Statement (PTO/SB/08B (page(s)), and copies of reference(s)

page(s))

page(s))

page(s))

The Total Fee has been calculated as shown below:

Return postcard:

Transmittal Letter (2 page(s));

Other:

Other:

Other:

	Pending Claims	Claims Previously Paid	Extra Claims	Fees
Total Claims	41	- 41 =	$0 \times $50.00 =$	0.00
Independent Claims	6	6 =	$0 \times \$200.00 =$	0.00
	Multiple De	pendent Claims (if	any) - \$360.00 fee	-
Additional Claims Fee				\$.00
Fee For Extension Of Time				
Other Fees: ()				
TOTAL FEE DUE:				\$.00

101.	ALTEE DOE.
	Small entity status is entitled to be asserted for the application.
	A check is enclosed for the Total Fee shown above.
	Please charge the Total Fee shown above to Deposit Account 50-0631.
☒	The Commissioner is hereby authorized to charge any deficiency in fees and any additional fees under 37 C.F.R. § 1.16 or 1.17, that may be required during the pendency of this application, and to similarly credit any overpayment, to Deposit Account 50-0631.

PTO Transmittal Letter.doc

ZAGORIN O'BRIEN GRAHAM LLP

April 14, 2005 RE: 09/898,708 Page 2 of 2

EXPRESS MAIL LABEL:

CERTIFICATE OF MAILING OR TRANSMISSION I hereby certify that, on the date shown below, this correspondence is being ☐ deposited with the US Postal Service with sufficient postage as first class mail and addressed as shown above. ☐ facsimile transmitted to the US Patent and Trademark Office. ☐ CHAPT-2005 Steven R. Gilliam ☐ Date

Respectfully submitted,

Steven R. Gilliam, Reg. No. 51,734 Attorney for Applicant(s) (512) 338-6320 (512) 338-6301 (fax)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

HECEIVED **GENTHAL PAX CENTER**

Applicant(s):

James J. Babka et al.

APR 1 4 2005

Title:

EFFICIENT TECHNIQUE FOR MATCHING HIERARCHIES OF ARBITRARY SIZE AND STRUCTURE WITHOUT REGARD TO

ORDERING OF ELEMENTS

Application No.: 09/898,708

Filed:

July 3, 2001

Examiner:

Cam Y. T. Truong

Group Art Unit:

2172

Atty. Docket No.: 027-0006

April 14, 2005

Mail Stop Appeal Brief - Patents COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, VA 22313

APPELLANT'S BRIEF (37 C.F.R. § 41.37)

This brief is in furtherance of the Notice of Appeal, filed on August 26, 2004, and in response to the Notification of Non-Compliant Appeal Brief mailed on March 31, 2005 requiring filing of a new Appeal Brief. The Notification of Non-Compliant Appeal Brief set a due date of the longer of one month or thirty days from the mail date of the Notification, which would be April 30, 2005. The fee required under § 41.20(b)(2) has previously been paid.

REAL PARTY IN INTEREST

The real party in interest in this appeal is Trilogy Development Group, Inc., as evidenced by the assignment recorded at Reel 011970 Frame 0834.

RELATED APPEALS AND INTERFERENCES

Appellants have no knowledge of any related appeals or interferences.

→ USPTO-Central

STATUS OF CLAIMS

Claims 1 – 41 are presented herein on appeal. None of the claims have been amended during prosecution. Claims 1 – 41 have been twice rejected in a Non-final Office Action dated October 9, 2003 and in a Final Office Action dated March 23, 2004. In addition, both Office Actions indicated allowable subject matter in claims 8 – 11 and 16.

Claims 1 – 41, now presented herein on appeal, are reproduced in the Appendix attached hereto.

STATUS OF AMENDMENTS

No amendments after final rejection have been submitted.

SUMMARY OF INVENTION

The invention relates generally to representations of hierarchically organized information and, in particular, to data structures, objects, methods and techniques for matching or, in some realizations, efficiently representing sub-hierarchies thereof. This presently claimed invention relates to an element-order-independent comparison of hierarchically organized data structures that is efficiently performed using a transformation operation that orthogonally and recursively encodes child node information. Orthogonal encodings ensure that a combination (e.g., an additive combination) of values corresponding to elements of a sub-hierarchy is insensitive to ordering of the elements. Recursion can be employed to fold in information contributions at successive layers of an information hierarchy.

Referring to Figures 3 – 5, for example, information for leaf nodes is aggregated recursively with internal nodes at successive levels of a hierarchically organized data structure. These figures depict a basic technique that "includes, for each node in the tree, building a string representation of the node that incorporates information about the node itself plus information about its children, without regard to the order of the children. The basic technique may be employed in the context of tree or sub-tree comparisons, as a precursor to such comparison or as an encoding or transformation technique for tree-oriented data" (paragraph 1021 of Applicant's specification).

In the exemplary illustrations depicted in the figures, "a mapping function is employed to associate each such string representation with a code or key. In general the mapping has attributes that are identical source information maps to identical values and non-identical source information maps to distinct values. In addition, distinct values so-mapped have the general property that, when considered in the context of a combining operation, they are orthogonally-encoded. Stated differently, the results of such a combining operation performed on first and second sets of values is not the same, unless membership in the two sets is identical, and a result of the combining operation is insensitive to order of operands" (paragraph 1021 of Applicant's specification). For example, referring to Figure 4, "the collapsed form illustrated includes a concatenation of string encoded information associated with the corresponding node (illustrated in FIG. 3) with a string encoding of the arithmetic sum of orthogonally-encoded values for child nodes" (paragraph 1026 of Applicant's specification).

GROUNDS OF REJECTIONS TO BE REVIEWED ON APPEAL

- The rejection of claims 1 4, 12, 14, 15, 17, 18, 19, 24, 26 32, 35 38, and 40 41 under 35 U.S.C. §103(a) as being unpatentable over Jeyaraman (U.S. Patent No. 6,311,187).
- 2. The rejection of claim 5 under 35 U.S.C. §103(a) as being unpatentable over Jeyaraman (U.S. Patent No. 6,311,187) in view of Aggarwal, et al. (U.S. Patent No. 5,781,906).
- 3. The rejection of claims 6, 7, 13, 20 23, 25, 33, 34, and 39 under 35 U.S.C. §103(a) as being unpatentable over Jeyaraman (U.S. Patent No. 6,311,187) in view of Brown (U.S. Patent No. 6,539,369).

ARGUMENTS

The rejections of Applicant's claims are supported by mischaracterizations of Jeyaraman and disregarding Applicant's claim language. Although U.S. Patent No. 6,311,187 to Jeyaraman is replete with ordering nodes, rejections of Applicant's claims are supported with the mischaracterization that Jeyaraman discloses "an unsorted tree; thus, the collapsing the contents

of a first node and a second node is in an order-insensitive manner" (page 2, second paragraph of the Final Office Action). Rejections of the claims also suffer from the Office overlooking the actual claims and focusing on a single common word in Applicant's claims and Jeyaraman. The "collapsing" disclosed in Jeyaraman involves gathering children nodes of separate parent nodes of an old and new tree under a single parent node in the new tree, not collapsing representations of nodes or encodings of nodes as disclosed and claimed by Applicant. The mischaracterization of Jeyaraman continues with the simple assumption that Jeyaraman's leaf node matching nodes can support a rejection of Applicant's claims. However, Applicant's claims identify equivalent sub-trees based on collapsed representations.

The Office rejects all claims under 35 USC § 103. The Office relies on Jeyaraman in rejecting claims 1 – 4, 12, 14, 15, 17, 18, 19, 24, 26 – 32, 35 – 38, and 40 – 41. The Office relies on Jeyaraman in view of Aggarwal in rejecting claim 5 and relies on Jeyaraman in view of Brown in rejecting claims 6, 7, 13, 20 – 23, 25, 33, 34, and 39. Specific claimed limitations are not disclosed or suggested in either Jeyaraman, Aggarwal, or Brown. As a result, the prior art has been accorded inordinate scope, the claims have been interpreted in a way that discounts claim limitations, or both. Careful analysis will show that claim limitations are neither expressly nor inherently disclosed in any of the relied upon references. As a result, no prima facie case of obviousness has been made out. The nature of this legal error is now summarized.

Obviousness Rejections under 35 U.S.C. § 103

Claims 1 – 4, 12, 14, 15, 17, 18, 19, 24, 26 – 32, 35 – 38, and 40 – 41 all stand rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent 6,311,187 to Jeyaraman (Jeyaraman). Claims 5 is rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman in view of U.S. Patent 5,781,906 to Aggarwal et al. (Aggarwal). Claims 6, 7, 13, 20 – 23, 25, 33, 34, and 39 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman in view of U.S. Patent No. 6,539,369 to Brown (Brown).

The legal standard for obviousness is defined in the Patent Statute, 35 U.S.C. § 103, which specifies, in addition to novelty requirements under § 102, further conditions for patentability relating to nonobvious subject matter. Those further conditions include the following:

[a] patent may not be obtained though the invention is not identically disclosed or described [by prior art under 35 U.S.C. § 102] if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains.

35 U.S.C. § 103 (2004).

Obviousness is a legal determination based on underlying factual inquiries. Minnesota Min. & Mfg. Co. v. Johnson & Johnson Orthopedics, Inc., 976 F.2d 1559, 24 U.S.P.Q.2d 1321, 1332-1333 (Fed. Cir. 1992). Graham v. John Deere Co., 383 U.S. 1, 17 (1966) defines the factual inquiries utilized to evaluate the prior art. Specifically, the prior art is evaluated in terms of: (1) its scope and content; (2) the differences between the prior art and the claimed invention; (3) the level of ordinary skill in the art at the time the application was filed; and (4) objective, or secondary, evidence of nonobviousness such as commercial success, failure of others, long-felt need and unexpected results, which must be considered in reaching a conclusion of obviousness. Graham v. John Deere Co., 383 U.S. 1, 17, 148 U.S.P.Q. 459, 460 (1966); Panduit Corp. v. Dennison Mfg. Co., 810 F.2d 1561, 1566-67, 1 U.S.P.Q.2d 1593, 1595-96 (Fed. Cir. 1987); Minnesota Min. & Mfg. Co. v. Johnson & Johnson Orthopaedics, Inc., 976 F.2d 1559, 24 U.S.P.Q.2d 1321, 1333 (Fed. Cir. 1992). In the present appeal, pertinent issues relate primarily to specific differences between the prior art and appealed claims, specifically absence, in the relied upon references, of certain features of the appealed claims.

Obviousness analysis begins with a key legal question—what is the invention claimed? In this regard, the claimed invention must be evaluated as a whole. 35 U.S.C. § 103; see also Panduit Corp., 1 U.S.P.Q.2d at 1597, 810 F.2d at 1568. Fundamentally, all claim limitations must be considered in the obviousness analysis. Indeed, it is clear error to ignore limitations clearly set forth in the claims. Panduit Corp., 1 U.S.P.Q.2d, 1603 – 1604, 810 F.2d at 1576. In general, multiple prior art references may be combined to provide a basis for an obviousness determination; however, there must be some teaching or suggestion for the combination. In re Rouffet, 149 F.3d 1350, 1355, 47 U.S.P.Q.2d 1453, 1456 (Fed. Cir. 1998). Finally, a prior art reference must be considered in its entirety, i.e., as a whole, including portions that would lead away from the claimed invention. W.L. Gore & Associates, Inc. v. Garlock, Inc., 721 F.2d 1540, 1550, 220 U.S.P.Q. 303, 311 (Fed. Cir. 1983). Indeed, it is impermissible within the framework

of § 103 to pick and choose from any one reference only so much of it as will support a given. position, to the exclusion of other parts necessary to the full appreciation of what such reference fairly suggests to one of ordinary skill in the art. Bausch & Lomb, Inc. v. Barnes-Hind, Inc., 796 F.2d 443, 230 U.S.P.Q. 416 (Fed. Cir. 1986); see also In re Wright, 866 F.2d 422, 9 U.S.P.Q.2d 1649, 1652 (Fed. Cir. 1989).

Ground I: The rejection of claims 1 - 4, 12, 14, 15, 17, 18, 19, 24, 26 - 32, 35 - 38, and 40 - 41 under 35 U.S.C. §103(a) as being unpatentable over Jeyaraman

Claims 1, 2, 14 - 15 and 17

Claims 1, 2, 14 - 15, and 17 all stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman. Applicant respectfully submits that the Office ignores the failure of Jeyaraman to disclose or suggest collapsing as claimed by Applicant. The Office characterizes Jeyaraman as disclosing order insensitive collapsing in contrast to Jeyaraman's actual disclosure. Jeyaraman discloses the following:

Order the children of 'p' through swap operations. (col. 12, line 6)

Applying step 4, the system notices that nodes D0.Se2.P1 and D0.Se0.P1 need to be collapsed. This brings together all the nodes in the SIBLING LIST under a common parent (See FIG. 6D).

CLP(D0.Se2.P1,D0.Se0.P1)

Next, the system uses swap operation to re-order the nodes (see FIG. 6E). (col. 12, lines 35 - 41)

Use of swap operations to restore order of nodes in the tree is disclosed throughout Jeyaraman (col. 13, lines 4-9; col. 13, lines 15-19; col. 13, lines 25-28; col. 14, lines 22-25). Even the assignment of node identifiers is order sensitive as seen in Figures 6H - 6J, which depict the node identifiers as exactly reflecting order of the children nodes as they occur in the tree. Hence, it cannot be asserted that Jeyaraman discloses "wherein the collapsing is order-insensitive with respect to information of the respective child nodes" as recited in claim 1.

In addition, the Office does not address the collapsing as claimed by Applicant. Jeyaraman repeatedly discloses ordering nodes in contrast to the interpretation by the Office. The Office states that Jeyaraman discloses "an unsorted tree; thus, the collapsing the contents of a first node and a second node is in an order-insensitive manner" (page 2, second paragraph of the Final Office Action) and then again states "this tree is an unsorted tree, thus, the collapsing the contents of a first node and a second node is in an order-insensitive manner" (page 5 of the Final Office Action). To support the mischaracterization of Jeyaraman, the Office cites the following sections of Jeyarman:

CLP(D0.Se0.P0, D0.Se0.P1). This operation collapses the contents of a first node and a second node. resulting node gets the same tag types as the first node. The children of the second become the right-most children of the resulting node. (col. 9, lines 20 - 25)

The first parent inherits all of the children that are present in new t, and the second parent inherits the remaining children. If a parent node in old_t has all of the same children and additional children in new_t, the system generates a node collapse operation to bring all the children together in new t (step 512). (col. 7, lines 61 - 65).

Applying step 4, the system notices that nodes DO.Se2.Pl and D0.Se0.P1 need to be collapsed. This brings together all the nodes in the SIBLING_LIST under a common parent (See FIG. 6D).

CLP (D0.Se2.P1, D0.Se0.P1)

Next, the system uses swap operation to re-order the nodes (see FIG. 6E). (col. 12, lines 35 - 41)

The relied upon sections disclose a collapse operation, but not collapsing as claimed by Applicant. The section discloses bringing child nodes together under a single parent node, and does not disclose or suggest "collapsing plural nodes thereof into respective representations that

PATENT .

each incorporate information of a respective node and that of any child nodes thereof" as recited in claim 1. The Office does not suggest that Jeyaraman discloses collapsing in the manner claimed by Applicant, because it is not disclosed by Jeyaraman. Jeyaraman discloses "assigning a node identity to 'p', which is a collective identity of its latest children" (col. 12, lines 16-18), but this assignment is subsequent to the collapse operation and swap operations that restore the tree's order in Jeyaraman (col.12, lines 6-15). Regardless of whether Jeyaraman's disclosed "collapse" operation corresponds to that which Applicant discloses and claims, it is clear that Jeyaraman's disclosed techniques require the use of ordering operations, particularly use of swap operations to order child nodes. Whatever Jeyaraman's "collapse" operation entails, it clearly is not order insensitive with respect to information of the child nodes.

Properly interpreted, Jeyaraman's collapse operation does not correspond to the scope of the term "collapse" (or "collapsing") as disclosed and claimed by Applicant. Jeyaraman's collapse operation involves an accounting transfer of child nodes appearing in a first sub-tree but not in a second sub-tree into a resulting node that includes the child nodes of both the first and second sub-trees. While any moniker desired can be used to label this transfer mechanism, the mere usage of the same word as Applicant does not mean that Jeyaraman discloses or suggests "collapse" (or "collapsing") as disclosed and claimed by Applicant.

Furthermore, Jeyaraman discloses matching leaf nodes, not matching collapsed representations, in contrast to the Office's arguments. Properly interpreted, Jeyaraman does not disclose or suggest identification of equivalent sub-trees based on correspondence of collapsed representations. Even if the different use of the term "collapse" is ignored, any matching employed in Jeyaraman is of leaf nodes, not collapsed representations. Claim 1 specifically recites "based on correspondence of particular instances of the collapsed representations, identifying the respective portions as equivalent." Jeyaraman discloses the following three phases:1) a matching leaf nodes phase, 2) a deletion phase, and 3) a modification phase. The matching phase includes a "first step to generate a unique identifier for each of the leaf nodes in T2 based on the content of the leaf node...Next, the process assigns value identifiers leaf nodes of T1" (col. 9, line 40 – col. 10, line 15). The matching phase disclosed by Jeyaraman matches leaf nodes, but does not identify equivalent portions of a tree based on collapsed representations. Indeed, prior to the modification phase, Jeyaraman does not disclose a collapse operation. It is

not until the modification phase that Jeyaraman discloses a collapse operation. The modification phase includes indicating collapse operations and assignment of node identifiers after a collapse operation and re-ordering with swap operations (col. 11, line 15 – col. 13, line 51). Jeyaraman never discloses or suggests identifying equivalent portions of T1 and T2 with the assigned node identifiers, at least because the matching of equivalent portions has already been performed in the matching of leaf nodes, prior to assignment of node identifiers.

<u>Action Requested</u>: For at least the reasons set forth above, the references fail to teach or suggest, alone or in combination, all elements of claims 1, 2, 14 – 15, and 17. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 3-4

Claims 3 – 4 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over *Jeyaraman*.

Referring to claims 3 and 4, Applicant respectfully submits that Jeyaraman does not disclose or suggest "wherein a unit of orthogonally-encoded child node information includes a power-of-two encoded mapping of a concatenation of the child node information." The Office states that "data and value identifier is presented as a power-of-two encoded value" to support rejection of claims 3 and 4. For support, the Office refers to the following sections of Jeyaraman:

There are three phases in the process, including: (1) matching the leaf nodes in T1 and T2; (2) deleting nodes in T1 with no match in T2; and (3) modifying or moving nodes the remaining nodes to create T1.

Phase 1: Matching Leaf Nodes

The first step is to generate a unique identifier for each of the leaf nodes in T2 based on the content of the leaf node. This can be accomplished by using a hash function to generate a unique identifier for each of the

If two leaf nodes have the same content, leaf nodes. then the hash function generates the same identifier. (col. 9, lines 35 - 46)

All nodes in FIG. 6A include a name (tag, a value, and an associated value identifier. Since the leaf nodes actually contain data, value identifiers are assigned to them before the process starts; whereas, for an internal node, a value identifier is assigned during the comparison process based upon the value of identifiers of the internal node's children. (col. 8, lines 20 - 25)

Neither the relied upon section nor any other section of Jeyaraman disclose or suggest the subject matter of claims 3 and 4. The Office's only support for rejection of the claims is citation to sections that disclose no more than assigning value identifiers using a hash function and never disclose or suggest power-of-two encoding.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of claims 3 and 4. Accordingly, claims 3 and 4 are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 18, 24, and 26 - 28

Claims 18, 24, and 26 - 28 all stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman.

Referring to independent claim 18, Applicant respectfully notes that Jeyaraman does not disclose or suggest "wherein the identifiers and combining function are selected to ensure that same combinations of child node identifiers result in same child nodes contributions irrespective of ordering of the child node identifiers." As already stated, Jeyaraman does not disclose identifying nodes irrespective of order. Swap operations are used to restore order of nodes in the tree in the above quoted sections of Jeyaraman and throughout Jeyaraman (col. 13, lines 4-9; col. 13, lines 15 - 19; col. 13, lines 25 - 28; col. 14, lines 22 - 25). Even the assignment of node

identifiers is respective of ordering as seen in Figures 6H - 6J, which depict the node identifiers as exactly reflecting order of the children nodes as they occur in the tree.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of independent claim 18. Furthermore, all claims 18, 24, and 26 – 28 are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 2-4, 19, and 29-31

Claims 2 – 4, 19, 29 – 31 all stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman. As already stated above, the Office relies upon sections of Jeyaraman that disclose a collapse operation, but not collapsing as claimed by Applicant. The section discloses bringing child nodes together under a single parent node, and does not disclose or suggest "recursively collapsing sub-hierarchies thereof using encodings that, at least at a same level thereof, includes orthogonal values" as recited in claim 29. The Office does not suggest that Jeyaraman discloses collapsing in the manner claimed by Applicant, because it is not disclosed by Jeyaraman. Jeyaraman discloses "assigning a node identity to 'p', which is a collective identity of its latest children" (col. 12, lines 16 – 18), but this assignment is subsequent to the collapse operation and swap operations that restore the tree's order in Jeyaraman (col.12, lines 6 – 15). The following sections are relied up by the Office, but do not support the Office's arguments.

To support the mischaracterization of *Jeyaraman*, the Office cites the following sections of *Pearlman*:

CLP(D0.Se0.P0, D0.Se0.P1). This operation collapses the contents of a first node and a second node. The resulting node gets the same tag types as the first node. The children of the second become the right-most children of the resulting node. (col. 9, lines 20 - 25)

The first parent inherits all of the children that are present in new_t, and the second parent inherits the remaining children. If a parent node in old_t has all of the same children and additional children in new_t, the system generates a node collapse operation to bring all the children together in new_t (step 512). (col. 7, lines 61 - 65).

Applying step 4, the system notices that nodes D0.Se2.Pl and D0.Se0.Pl need to be collapsed. This brings together all the nodes in the SIBLING_LIST under a common parent (See FIG. 6D). CLP(D0.Se2.Pl,D0.Se0.Pl)

Next, the system uses swap operation to re-order the nodes (see FIG. 6E). (col. 12, lines 35 - 41)

Furthermore, the Office completely disregards the limitation of *orthogonal encodings* and presumes its disclosure. Nothing in *Jeyaraman* can be found that discloses or suggests orthogonal encodings, much less orthogonal encodings as claimed by Applicant. The Office cites the following section of *Jeyaraman*.

The modification phase brings together the children of internal nodes, in a bottom-up-fashion. This involves scanning all the nodes from the bottom-most level (furthest from the root), and scanning each level until level zero is reached. Note that the identity of each internal node is established by the collective identity of its children. For example, if a parent node's children are identifies as 'a' and 'b' respectively, then the identity of the parent is 'ab.'

Also, if a parent node is left with no children as a result of a move operation, the parent node is deleted. Furthermore, in the special case where there is a skewed tree r sub-tree of nodes having just one child, i.e., $a \rightarrow b \rightarrow c \rightarrow d$, when node 'd' is deleted, node 'c' is also be deleted. This action is repeated until node

;a; is deleted as well. Instead of generating an individual delete operation for each one of the nodes, the chain of delete operations is reduced to a single delete operation of the grandest common parent of all nodes being deleted.

Pseudo-code for one embodiment of the modification phase appears below.

For each level i, in T2 (leaf to the root) {

- TO_BE_COMPLETED_LIST = list of all the node value identifiers at level i in T2.
- 2. If the node in the TO_BE_COMPLETED_LIST is the root node, find the matching node 't' in Tl'. If 't' happens is root node, break from the loop.

Else, partition T1' into two nodes, such that the sub-tree rooted at 't' is moved away from T1' and becomes another tree (T1'').

Next, delete the source partition (T1') by deleting its grandest common parent (the root). T1'' and T2 are now identical.

Nothing in the entire section relied upon by the Office makes reference to orthogonal encodings. Jeyaraman does not disclose or suggest orthogonal encoding and especially does not disclose or suggest collapsing using the encodings of the nodes that include orthogonal values. Jeyaraman does not disclose or suggest orthogonal encodings in any collapsed representations. In effect, the Office simply reads corresponding limitation out of the claims.

The Office simply refers to Jeyaraman's collapse operation, but Jeyaraman's collapse operation does not collapse using encodings that include orthogonal values. Essentially, the Office simply reads out limitations corresponding to orthogonal encodings out of the claims.

<u>Action Requested</u>: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of independent claim 29. In addition, all claims 2-4, 19, and 29-31 are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 35 and 38

Claims 35 and 38 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman. As stated above, Jeyaraman does not disclose or suggest order-insensitive collapsing. Jeyaraman specifically and repeatedly describes ordering trees. Further, despite the use of the term "collapse," Jeyaraman describes a collapse operation that shuffles around leaf nodes, but does not disclose or suggest aggregating contents of leaf nodes. Referring to independent claim 35, Applicant respectfully submits that Jeyaraman does not disclose or suggest "instructions, when executed, causing the processor to define a counterpart data structure by collapsing plural nodes of the hierarchically-organized data structure into respective representations that each incorporate information of a respective node and that of any child nodes thereof, wherein the collapsing includes an order-insensitive aggregation of orthogonal encodings of information of the respective child nodes." As already stated, Jeyaraman does not disclose or suggest collapsing that includes aggregation of orthogonal encodings of information of child nodes.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of independent claim 35. Accordingly, both claims 35 and 38 are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 36, 37, 40

Claims 36, 37, and 40 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman.

As previously stated, Jeyaraman discloses

three phases in the process, including: (1) matching the leaf nodes in T1 and T2; (2) deleting nodes in T1 with no match in T2; and (3) modifying or moving nodes the remaining nodes to create T1.

Phase 1: Matching Leaf Nodes

The first step is to generate a unique identifier for each of the leaf nodes in T2 based on the content of the leaf node. This can be accomplished by using a hash function to generate a unique identifier for each of the leaf nodes. If two leaf nodes have the same content, then the hash function generates the same identifier. (col. 9, lines 35 - 46)

All nodes in FIG. 6A include a name (tag, a value, and an associated value identifier. Since the leaf nodes actually contain data, value identifiers are assigned to them before the process starts; whereas, for an internal node, a value identifier is assigned during the comparison process based upon the value of identifiers of the internal node's children. (col. 8, lines 20 - 25)

The matching phase disclosed by *Jeyaraman* does not identify equivalent portions, distinct sub-hierarchies, or equivalent sub-assemblies based on collapsed representations of respective nodes that each incorporate information of a respective node and that of any child nodes thereof. Indeed, prior to the modification phase, Jeyaraman does not disclose a collapse operation. It is not until the modification phase that Jeyaraman discloses a collapse operation. The modification phase includes indicating collapse operations and assignment of node identifiers after a collapse operation and re-ordering with swap operations (col. 11, line 15 - col. 13, line 51). Jeyaraman never discloses or suggests

matching instructions executable by the one or more processors to identify distinct sub-hierarchies of the hierarchically-organized data structure as at least equivalent based on correspondence of the collapsed representations; (claim 36)

matching instructions executable by the one or more processors to identify at least equivalent portions of first and second ones of the

hierarchically-organized data structure based on correspondence of collapsed representations thereof; (claim 37) and

wherein the information management tool further identifies, based on correspondence of collapsed representations of the hierarchicallyorganized data structure, equivalent sub-assemblies without regard to ordering of elements thereof (claim 40).

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of claims 36, 37, and 40. Accordingly, claims 36, 37 and 40 are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claim 41

Claim 41 stands rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman.

As already stated, Jeyaraman does not disclose or suggest order-independent comparisons or orthogonal encodings. Jeyaraman specifically and repeatedly discloses employment of operations to order nodes. Referring to independent claim 41, Applicant respectfully submits that Jeyaraman does not disclose or suggest "means for performing an element order independent comparison of hierarchically organized data structures using a transformation operation that orthogonally and recursively encodes child node information." The Office argues the following:

However, Jeyaraman teaches that as mapping leaf nodes tree 1 and tree 2. For each level I in T2 (leaf to the root) {to_be_completed_list=list of all the node value identifiers at level_I in T2. If the node in the to_be_completed_list is the root node, find the matching node t in T1. Where the leaf nodes actually contain data and value identifiers. The modification phase brings

together the children of internal nodes, in a bottom-up This involves scanning all the nodes from the bottom-most level and scanning each level until level zero is reached. Note that the identity of each internal node is established by the collective identify of its children. The system transforms old_tree into new_tree. The above information shows the system maps the contents of nodes in T1 and T1 recursively by following a bottom up fashion.

It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to apply Jeyaraman's teaching of scanning all the nodes from bottom-most level to compare leaf nodes in tree for transforms old t into new) t in order to update a tree structure.

Applicant notes that the entire rational for rejecting claim 41 is devoid of any discussion related to element order independent comparison. The Office addresses recursion and scanning, but never addresses element order independent comparison. As already stated, Jeyaraman does not disclose or suggest order independence.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of independent claim 41. Accordingly, claim 41 is allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Ground II: The rejection of claim 5 under 35 U.S.C. §103(a) as unpatentable over Jeyaraman in view of Aggarwal, et al.

Claim 5

04/14/2005 12:11 FAX 512 338 6301

Claim 5 stands rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman in view of Aggarwal. Referring to claim 5, Application respectfully submits that neither

Jeyaraman nor Aggarwal, standing alone or in combination, discloses or suggest "wherein the order-insensitive collapsing includes an arithmetic sum of orthogonal binary encodings of child node information." The Office asserts that

[i]t would have been obvious to one skilled in the art at the time the invention was made to apply Aggrawal's (sic) teaching of in a binary tree, the leaf numbers N.sub.B.sbsb.1 and N.sub.B.sbsb.2 of each of these children are eat at least p.multidot.N.sub.A. partitions examined which satisfy this leaf number condition, the one chosen minimizes the sum of the areas of the minimum bounding rectangles A(I.sub.B.sbsb.I) + A(I.sub.B.sbsb.I) subject to Jeyaraman's system in order to save memory space.

Applicant respectfully submits that the Office has misapplied and mischaracterized Aggarwal. The binarization of a tree disclosed by Aggarwal relates to construction of a binary tree in a top-down fashion "such that the entries in the leaf nodes correspond to multidimensional (also called spatial) data objects stored on DASD 105" (col. 5 lines 51-54). The binarization disclosed by Aggarwal relates to the structure of a constructed binary tree and not to the contents of nodes or encodings of child node information.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of claim 5. Accordingly, claim 5 is allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Ground III: The rejection of claims 6, 7, 13, 20 – 23, 25, 33, 34, and 39 under 35 U.S.C. §103(a) as being unpatentable over Jeyaraman in view of Brown.

Claims 13, 20 - 23, 25, and 39

04/14/2005 12:11 FAX 512 338 6301

Claims 13, 20 – 23, 25, and 39 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman in view of Brown. As previously stated, the Office completely disregards the limitation of orthogonal encodings and presumes its disclosure. The claims 13, 20 - 23, 25, and 39 relate to orthogonal encodings. Nothing in Jeyaraman can be found that discloses or suggests orthogonal encodings, much less orthogonal encodings as claimed by Applicant. The Office cites the following section of Jeyaraman.

The modification phase brings together the children of internal nodes, in a bottom-up-fashion. This involves scanning all the nodes from the bottom-most level (furthest from the root), and scanning each level until level zero is reached. Note that the identity of each internal node is established by the collective identity of its children. For example, if a parent node's children are identifies as 'a' and 'b' respectively, then the identity of the parent is 'ab.'

Also, if a parent node is left with no children as a result of a move operation, the parent node is deleted. Furthermore, in the special case where there is a skewed tree r sub-tree of nodes having just one child, i.e., $a\rightarrow b\rightarrow c\rightarrow d$, when node 'd' is deleted, node 'c' is also be deleted. This action is repeated until node ;a; is deleted as well, Instead of generating an individual delete operation for each one of the nodes, the chain of delete operations is reduced to a single delete operation of the grandest common parent of all nodes being deleted.

Pseudo-code for one embodiment of the modification phase appears below.

For each level i, in T2 (leaf to the root) {

- 1. TO_BE_COMPLETED_LIST = list of all the node value identifiers at level i in T2.
- 2. If the node in the TO_BE_COMPLETED_LIST is the root node, find the matching node 't' in Tl'. If 't' happens is root node, break from the loop.

Else, partition T1' into two nodes, such that the sub-tree rooted at 't' is moved away from Tl' and becomes another tree (Tl'').

Next, delete the source partition (T1') by deleting its grandest common parent (the root). Tl' and T2 are now identical.

Nothing in the entire section relied upon by the Office makes reference to orthogonal encodings. Jeyaraman does not disclose or suggest orthogonal encoding. In effect, the Office simply reads corresponding limitation out of the claims.

The Office simply refers to Jeyaraman's collapse operation, but Jeyaraman's collapse operation does not collapse using encodings that include orthogonal values. Essentially, the Office simply reads out limitations corresponding to orthogonal encodings out of the claims.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of claims 13, 20 - 23, 25, and 39, which are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 33 – 34

Claims 33 - 34 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman in view of Brown.

As stated above, Jeyaraman does not disclose or suggest order-insensitive collapsing. Jeyaraman specifically and repeatedly describes ordering trees. Further, despite the use of the term "collapse," Jeyaraman describes a collapse operation that shuffles around leaf nodes, but does not disclose or suggest aggregating contents of leaf nodes. Referring to independent claims 33, Applicant respectfully submits that Jeyaraman does not disclose or suggest "instructions, when executed, causing the processor to define a counterpart data structure by collapsing plural nodes of the hierarchically-organized data structure into respective representations that each incorporate information of a respective node and that of any child nodes thereof, wherein the collapsing includes an order-insensitive aggregation of orthogonal encodings of information of the respective child nodes." As already stated, Jeyaraman does not disclose or suggest collapsing that includes aggregation of child node information and does not disclose or suggest order-insensitive aggregation of orthogonal encodings of information of child nodes.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of independent claim 33. Accordingly, all claims 33 – 34 are allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

Claims 39

Claim 39 stands rejected under 35 U.S.C. § 103(a) as being unpatentable over Jeyaraman in view of Brown. As stated above, Jeyaraman does not disclose or suggest order-insensitive collapsing. Jeyaraman specifically and repeatedly describes ordering trees. Further, despite the use of the term "collapse," Jeyaraman describes a collapse operation that shuffles around leaf nodes, but does not disclose or suggest aggregating contents of leaf nodes. Referring to independent claim 39, Applicant respectfully submits that Jeyaraman does not disclose or suggest "a corresponding table entry encodes both respective values for child nodes thereof in accordance with the order-insensitive information and aggregation associated with the particular node itself, and wherein, at least for same-level nodes of the hierarchically-organized data structure, corresponding values are orthogonal." As already stated, Jeyaraman does not disclose or suggest collapsing that includes aggregation of child node information and does not disclose or suggest order-insensitive aggregation of orthogonal encodings of information of child nodes.

Action Requested: For at least the reasons set forth above, the relied upon references fail to teach or suggest, alone or in combination, all elements of claim 39. Accordingly, claim 39 is allowable and rejections under 35 U.S.C. §103(a) should be reversed. Applicants respectfully request that this Honorable Board reverse the present rejections and direct that the aforementioned claims be issued.

CONCLUSIONS

For at least the foregoing reasons, Appellants' claimed invention would not have been obvious under 35 U.S.C. §103(a) over the cited prior art. Accordingly, this Honorable Board is

respectfully requested to reverse the rejection of claims 1-41 and direct this application to be issued.

I hereby certify that, on the date shown below, this correspondence is being

- deposited with the US Postal Service with sufficient postage as first class mail, in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
- facsimile transmitted to the US Patent and Trademark Office.

AL L. Still	- 14-Apr-2005
	Date

EXPRESS MAIL LABEL:

Respectfully submitted,

Steven R. Gilliam, Reg. No. 51,734

Attorney for Applicant(s)

Al. All

(512) 338-6320

(512) 338-6301 (fax)

APPENDIX OF CLAIMS INVOLVED IN THE APPEAL

- 1. (Original) A method of identifying equivalent portions of one or more unsorted hierarchically-organized data structures, the method comprising:
 - collapsing plural nodes thereof into respective representations that each incorporate information of a respective node and that of any child nodes thereof; and based on correspondence of particular instances of the collapsed representations, identifying the respective portions as equivalent,
 - wherein the collapsing is order-insensitive with respect to information of the respective child nodes.
 - 2. (Original) A method as recited in claim 1,
 - wherein the collapsed representations include respective aggregations of orthogonallyencoded child node information.
 - 3. (Original) A method as recited in claim 2,
 - wherein a unit of orthogonally-encoded child node information includes a power-of-two encoded mapping of a concatenation of the child node information with a similarly encoded mapping of respective information of child nodes thereof.
 - 4. (Original) A method as recited in claim 2,
 - wherein a unit of orthogonally-encoded child node information includes a power-of-two encoded mapping of a concatenation of the child node information with recursively encoded mappings of respective sub-hierarchies thereof.
 - 5. (Original) A method as recited in claim 1,
 - wherein the order-insensitive collapsing includes an arithmetic sum of orthogonal binary encodings of child node information.
 - 6. (Original) A method as recited in claim 1,

wherein distinct tables are defined for each level of the hierarchically-organized data structure.

- 7. (Original) A method as recited in claim 1, wherein a table spans multiple levels of the hierarchically-organized data structure.
- 8. (Original) A method as recited in claim 1, wherein, at a particular node of the hierarchically-organized data structure, the order-insensitive collapsing includes:

an arithmetic addition of orthogonal binary encodings that identify corresponding table entries for respective child nodes; and

- concatenation of a result of the arithmetic addition with an encoding of information for the particular node.
- 9. (Original) A method as recited in claim 8,
- wherein the order-insensitive collapsing at the particular node further includes creating a new mapping of the concatenation, the new mapping being an encoding that is at least orthogonal with that for any other node at a same level of the hierarchicallyorganized data structure.
- 10. (Original) A method as recited in claim 8,
- wherein the order-insensitive collapsing at the particular node further includes creating a new mapping of the concatenation, the new mapping being an encoding that is orthogonal with that for any other node of the hierarchically-organized data structure.
- 11. (Original) A method as recited in claim 8, wherein the encoding of particular node information is a string encoding thereof.
- 12. A method as recited in claim 1, wherein the correspondence collapsed representations is based on identity of respective mapped codes.

- 13. (Original) A method as recited in claim 1,
- wherein the order-insensitive collapsing includes an arithmetic addition of orthogonallyencoded values that index into a store of child node information.
- 14. (Original) A method as recited in claim 1,
- wherein the hierarchically-organized data structure includes at least three levels of nodes; and
- further comprising performing the collapsing at successive ones of the levels of the hierarchically-organized data structure.
- 15. (Original) A method as recited in claim 1,
- wherein the hierarchically-organized data structure includes a tree-organized data structure.
- 16. (Original) A method as recited in claim 8, wherein the hierarchically-organized data structure includes at least two levels.
- 17. (Original) A method as recited in claim 1, wherein the hierarchically-organized data structure encodes subassembly information as sub-hierarchies thereof and encodes component parts at leaf nodes thereof.
- 18. (Original) A method of identifying equivalent logical sub-trees of a tree-oriented data representation, the method comprising:
 - associating a first-level identifier with each of plural leaf nodes at a first-level of the tree, wherein distinct leaf node values are associated with distinct first identifiers and equivalent leaf node values are associated with same first identifiers; and
 - at each next level of the tree, associating an identifier with each node thereof, each such identifier including a current node contribution and a contribution associated with any child nodes thereof,
 - wherein the child nodes contribution is computed using a combining function operative on identifiers associated with the child nodes,

- wherein the identifiers and combining function are selected to ensure that same combinations of child node identifiers result in same child nodes contributions irrespective of ordering of the child node identifiers, and
- wherein for a second level of the tree, respective child nodes are the leaf nodes of the first-level of the tree.
- 19. (Original) A method as recited in claim 18,
- wherein the identifiers are orthogonally-encoded mappings of respective string encodings of the current node contribution concatenated with respective orthogonally-encoded mappings of child node information.
- 20. (Original) A method as recited in claim 18,
- wherein the orthogonally-encoded mappings at each level of the tree-oriented data representation are in accordance with a corresponding level-specific table.
- 21. (Original) A method as recited in claim 18,
- wherein the orthogonally-encoded mappings for distinct portions of the tree-oriented data representation are in accordance with respective tables.
- 22. (Original) A method as recited in claim 18,
- wherein the orthogonally-encoded mappings for multiple levels of the tree-oriented data representation are in accordance with a single corresponding hash table.
- 23. (Original) A method as recited in claim 18,
- wherein the orthogonally-encoded hashes for each level of the tree-oriented data representation are in accordance with a single corresponding table.
- 24. (Original) A method as recited in claim 18,
- wherein, at least at any particular level of the tree-oriented data representation, the identifiers are orthogonally-encoded.

→ USPTO-Central

- 25. (Original) A method as recited in claim 18, wherein the identifiers correspond to orthogonal binary encodings of integers; and wherein the combining function includes addition.
- 26. (Original) The method of claim 18, employed in a duplicate elimination operation on the tree-oriented data representation.
- 27. (Original) The method of claim 18, employed in a duplicate identification operation on the tree-oriented data representation.
- 28. (Original) The method of claim 18, employed in an equality test operation on portions of the tree-oriented data representation.
- 29. (Original) A method of representing hierarchically-organized data, the method comprising:
 - recursively collapsing sub-hierarchies thereof using encodings that, at least at a same level thereof, includes orthogonal values;
 - representing any given node of the hierarchically-organized data as a concatenation of node-specific information with a combination of the orthogonal values for each collapsed sub-hierarchy therebeneath.
 - 30. (Original) The method of claim 29, transforming from a first encoding of the hierarchically-organized data to a collapsed second form.
 - 31. (Original) The method of claim 29, employed to eliminate duplicate sub-hierarchies in the hierarchically-organized data.
 - 32. (Original) The method of claim 29, employed to collapse duplicate sub-hierarchies in the hierarchically-organized data, wherein the concatenation further includes a count of duplicate sub-hierarchies collapsed beneath any given node.

04/14/2005 12:15 FAX 512 338 6301

- 33. (Original) A computer program product encoded in at least one computer readable medium, the computer program product comprising:
 - a program sequence including a recursively called set of instructions executable by one or more processors to operate on at least one instance of an hierarchically-organized data structure, the instructions, when executed, causing the processor to define a counterpart data structure by collapsing plural nodes of the hierarchically-organized data structure into respective representations that each incorporate information of a respective node and that of any child nodes thereof, wherein the collapsing includes an order-insensitive aggregation of orthogonal encodings of information of the respective child nodes; and
 - an object implementing the counterpart data structure including at least one table wherein values thereof provide the orthogonal encodings and keys thereof combine the information of respective nodes with an aggregation of the collapsed representations for child nodes thereof.
 - 34. (Original) The computer program product of claim 33,
 - wherein the at least one computer readable medium is selected from the set of a disk, tape or other magnetic, optical, or electronic storage medium and a network, wireline, wireless or other communications medium.
- 35. (Original) An information management tool including software executable by one or more processors, the information management tool comprising:
 - an encoding of a hierarchically-organized data structure instantiable in memory addressable by the one or more processors;
 - instructions executable by the one or more processors to operate on at least one instance of the hierarchically-organized data structure instantiated in memory, the instructions, when executed, causing the processor to define a counterpart data structure in the memory by collapsing plural nodes of the hierarchically-organized data structure into respective representations that each incorporate information of a respective node and that of any child nodes thereof, wherein the collapsing

includes an order-insensitive aggregation of orthogonal encodings of information of the respective child nodes.

- 36. (Original) An information management tool, as recited in claim 35, further comprising:
 - matching instructions executable by the one or more processors to identify distinct subhierarchies of the hierarchically-organized data structure as at least equivalent based on correspondence of the collapsed representations.
- 37. (Original) An information management tool, as recited in claim 35, further comprising:
 - matching instructions executable by the one or more processors to identify at least equivalent portions of first and second ones of the hierarchically-organized data structure based on correspondence of collapsed representations thereof.
 - 38. (Original) An information management tool, as recited in claim 35, wherein the order insensitive aggregation is performed recursively at successive levels of a collapsed sub-hierarchy.
- 39. (Original) An information management tool, as recited in claim 35, wherein the counterpart data structure includes:
 - at least one hash table; and
 - a recursively encoded mapping wherein, for any particular node of the hierarchicallyorganized data structure, a corresponding table entry encodes both respective
 values for child nodes thereof in accordance with the order-insensitive
 information and aggregation associated with the particular node itself, and
 wherein, at least for same-level nodes of the hierarchically-organized data
 structure, corresponding values are orthogonal.
 - 40. (Original) An information management tool, as recited in claim 35, wherein the hierarchically-organized data structure encodes and a sub-assembly decomposition of a product configuration; and

→ USPTO-Central

wherein the information management tool further identifies, based on correspondence of collapsed representations of the hierarchically-organized data structure, equivalent sub-assemblies without regard to ordering of elements thereof.

41. (Original) An apparatus comprising: a processor and memory addressable thereby; and means for performing an element order independent comparison of hierarchically organized data structures using a transformation operation that orthogonally and recursively encodes child node information.

04/14/2005 12:16 FAX 512 338 6301